

Jiménez Y*. Adenoma pleomorfo de paladar [*Pleomorphic adenoma of the palate*]. Med Oral Patol Oral Cir bucal 2005;10:186.

* Profesora Asociada de Medicina Bucal, Universidad de Valencia. Médico Adjunto Servicio de Estomatología, Hospital General Universitario

CASO CLINICO: Mujer de 82 años, con antecedente general de hipertensión arterial y anorexia. Es remitida por presentar una tumoración de gran tamaño (3 x 3 cm) en paladar (fig 1), lado derecho, de larga de evolución y asintomática. La paciente es portadora de una prótesis total removible. En la exploración se aprecia una tumoración pediculada, de coloración similar a la mucosa adyacente, firme a la palpación. Se solicita RNM (fig 2-3). Se toma una biopsia (fig 4-6).

CLINICAL CASE: An 82-year-old female with a history of high blood pressure and anorexia. She was referred for a long-evolving, asymptomatic large tumor (3x3 cm) on the right side of the palate (fig 1). The patient was wearing total dentures. Intraoral examination revealed a pediculate tumor of the same color as the adjacent mucosa and presenting a firm consistency. An MRI study (fig 2-3) and biopsy were carried out (fig 4-6).

Diagnóstico / *Diagnosis*

Adenoma pleomorfo de paladar

Pleomorphic adenoma of the palate



Fig. 1




Fig. 4



Fig. 2




Fig. 5



Fig. 3




Fig. 6